


APP CRS	Rwy Idg	2998
268°	TDZE	260
	Apt Elev	260

RNAV (GPS) RWY 27
VIVIAN (3F4)

RNP APCH.		MISSED APPROACH: Climb to 2000 direct HITIB and hold.
▼	Use Shreveport Rgnl altimeter setting; when not received, use Shreveport Downtown altimeter setting. Procedure NA at night. Rwy 27 helicopter visibility reduction below 1 SM NA.	
▲ NA		

SHREVEPORT APP CON 119.9 335.55	GCO 135.075	UNICOM 122.8 (CTAF) 0
------------------------------------	----------------	--------------------------




ELEV 260	TDZE 260	MSA RW 27 25 NM 3100			
268° to RW27 0.4% UP 2998 X 75		4 NM Holding Pattern			
MIRL Rwy 9-27 0		JIMIB			
REIL Rwy 9 0		WEGEV			
REIL Rwy 27		RW27			
CATEGORY		A	B	C	D
LNAV MDA		860-1	600 (600-1)	860-1¾ 600 (600-1¾)	NA

APP CRS	Rwy Idg	2998
088°	TDZE	260
	Apt Elev	260

RNAV (GPS) RWY 9
VIVIAN (3F4)

RNP APCH.	MISSED APPROACH: Climb to 2000 direct JIMB and hold.
▼ ▲ NA	Use Shreveport Rgnl altimeter setting; when not received, use Shreveport Downtown altimeter setting. Procedure NA at night. Rwy 9 helicopter visibility reduction below 1 SM NA.

SHREVEPORT APP CON 119.9 335.55	GCO 135.075	UNICOM 122.8 (CTAF) 0
------------------------------------	----------------	--------------------------



4 NM Holding Pattern	HITIB	ICEDA	2000	JIMB
2000	268°	088°	1900	088° to RWY 9
6 NM	5 NM	3.04°	TCH 52	2998 X 75
CATEGORY	A	B	C	D
LNAV MDA	860-1	600 (600-1)	860-1¾ 600 (600-1¾)	NA
MIRL Rwy 9-27				REIL Rwy 9 0
				REIL Rwy 27

SC-4, 22 FEB 2024 to 21 MAR 2024


SC-4, 22 FEB 2024 to 21 MAR 2024

VORTAC EIC	APP CRS	Rwy Idg	N/A
117.4	291°	TDZE	N/A
Chan 121		Apt Elev	260

VOR/DME-A
VIVIAN (3F4)

▼	Circling NA north of Rwy 9-27. Use Shreveport Rgnl altimeter setting; when not received, use Shreveport Downtown altimeter setting and increase all MDAs 20 feet. Procedure NA at night. Helicopter visibility reduction below 1 SM NA.	MISSED APPROACH: Climbing left turn to 3000 direct EIC VORTAC and hold.
▲ NA		

SHREVEPORT APP CON	GCO	UNICOM
119.9 335.55	135.075	122.8 (CTAF) 0



3000	EIC	PIKEN EIC 6	EIC VORTAC	One Minute Holding Pattern
MAJAK EIC 11.3	1800	291°	111°	3000
5.3 NM	6 NM			
CATEGORY	A	B	C	D
CIRCLING	860-1	600 (600-1)	900-1¾ 640 (700-1¾)	NA
MIRL Rwy 9-27 0	REIL Rwy 9 0	REIL Rwy 27		