



LOC/DME I- ACT 109.7 Chan 34	APP CRS 187°	Rwy Idg TDZE Apt Elev 6605 505 516
---	------------------------	--

ILS or LOC RWY 19
WACO RGNL (ACT)

DME required.			MALSR	MISSED APPROACH: Climb to 1500 then climbing left turn to 4000 on ACT VORTAC R-164 to BOSEL 14 DME and hold, continue climb-in-hold to 4000.
•• RVR 1800 authorized with use of FD or AP or HUD to DA. ASR				
ATIS 123.85	WACO APP CON ★ 127.65 227.125	WACO TOWER ★ 119.3 (CTAF) 0 257.8	GND CON 121.9	UNICOM 122.95



ELEV 516 TDZE 505		1500 4000 BOSEL		WESLI INT I- ACT 17	
187° 4.9 NM from FAF		*LOC only.		COFFI INT I- ACT 6.1	
* I- ACT 2.3		2100		2800	
I- ACT 1.3		2100		GS 3.00° TCH 55	
-1.1 - 3.8 NM - 10.9 NM		CATEGORY		A B C D	
S-ILS 19**		705/24 200 (200-½)			
S-LOC 19		900/24 395 (400-½)		900/35 395 (400-¾)	
CIRCLING		940-1 424 (500-1)		1020-1½ 504 (600-1½)	
		980-1 464 (500-1)		1160-2 644 (700-2)	