



LOC I-AOO 111.1	APP CRS 206°	Rwy Idg TDZE 1486 Apt Elev 1503
---------------------------	------------------------	---

ILS or LOC RWY 21
ALTOONA/BLAIR COUNTY (A00)

DME required. ⚠ Circling NA to Rwy 12 and 30. Circling NA for Cats C, D northwest of Rwy 12 and 21. For inop ALS increase S-LOC 21 visibility Cats C and D to 2 SM.		MALSR Ⓜ	MISSED APPROACH: Climb to 2100 then climbing right turn to 5000 on heading 295° and on JST R-096 to ZOTBI/JST 11.7 DME and hold, continue climb-in-hold to 5000.
ASOS 127.125	JOHNSTOWN APP CON ★ 121.2 299.2	CTAF 123.60	UNICOM 123.0



2100	5000	JST R-096	ZOTBI	KEWER INT	One Minute Holding Pattern
↑	hdg 295°		△		
ALTOO OM 3444					
6 NM 6.1 NM					
026° 6000 206° 4300					
3500 GS 3.00° TCH 52					
CATEGORY	A	B	C	D	
S-ILS 21	1686-1/2		200 (200-1/2)		
S-LOC 21	2240-1/2 754 (800-1/2)	2240-3/4 754 (800-3/4)	2240-1 3/4	754 (800-1 3/4)	
ⓐ CIRCLING	2240-1 737 (800-1)	2240-1 1/4 737 (800-1 1/4)	2800-3	2840-3	

NE-4, 22 FEB 2024 to 21 MAR 2024


NE-4, 22 FEB 2024 to 21 MAR 2024

WAAS CH 90105 W21A	APP CRS 206°	Rwy Idg TDZE Apt Elev	5465 1486 1503
--	------------------------	-----------------------------	---


RNAV (GPS) RWY 21

ALTOONA/BLAIR COUNTY (A00)

RNP APCH - GPS.		MALSR 	MISSED APPROACH: Climb to 5000 direct YOLUP and on track 223° to CRYSS and hold, continue climb-in-hold to 5000.	
Circling NA to Rwys 12 and 30. Circling NA for Cats C, D northwest of Rwys 12 and 21. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -17°C or above 54°C. For inop ALS, increase LPV visibility all Cats to 1½ SM.				
ASOS 127.125	JOHNSTOWN APP CON ★ 121.2 299.2	CTAF 123.60	UNICOM 123.0	



ELEV 1503	D	TDZE 1486
-----------	----------	-----------



5000	YOLUP	CRYSS	ROBPO	KEWER	4 NM Holding Pattern
↑		tr 223°			
			ZAVMA 3 NM to RW21		
			2 NM to RW21		
			2460	3500	
			2 NM	1 NM	3.2 NM
					5.9 NM
CATEGORY	A	B	C	D	
LPV DA	1977-1	491 (500-1)			
INAV/VNAV DA	1999-1	513 (500-1)			
INAV MDA	2160-½	674 (700-½)	2160-½	674 (700-½)	
CIRCLING	2240-1	737 (800-1)	2800-3	2840-3	
			1297 (1300-3)	1337 (1400-3)	

23334

RNAV (GPS) Y RWY 3

ALTOONA/BLAIR COUNTY (A00)

MISSED APPROACH: Climb to 5000 direct COPDA on track 037° to GANEC and hold, continue climb-in-hold to 5000.

4 NM Holding Pattern 4900 ← 221° 041° → 041° CRYSS		5000 ↑ PHILL				COPDA 		tr 037° 		GANEC 	
		3600 × 3.00° TCH 43		0.6 NM to RIVIT ↓ RIVIT				0.6 0.5 			
CATEGORY		A		B		C		D			
LP MDA				1860-1		357 (400-1)					
LNAV MDA				1880-1		377 (400-1)					
CIRCLING		2240-1 737 (800-1)		2240-1¼ 737 (800-1¼)		2800-3 1297 (1300-3)		2840-3 1337 (1400-3)			

RNAV (GPS) Y RWY 3


NE-4, 22 FEB 2024 to 21 MAR 2024

23334

RNAV (GPS) Z RWY 3

ALTOONA/BLAIR COUNTY (A00)

ASOS 127.125	JOHNSTOWN APP CON ★ 121.2 299.2	CTAF 123.60	UNICOM 123.0
------------------------	---	-----------------------	------------------------



ALTOONA/BLAIR COUNTY (A00)
RNAV (GPS) Z RWY 3

NE-4, 22 FEB 2024 to 21 MAR 2024