



WAAS CH 53741 W30A	APP CRS 307°	Rwy Idg TDZE 262 Apt Elev 273
--	------------------------	---

RNAV (GPS) RWY 30

BEEVILLE MUNI (BEA)

RNP APCH. ▼ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -15°C (5°F) or above 54°C (130°F). Circling Rwy 18 and 36 NA at night. Rwy 30 helicopter visibility reduction below ¾ SM NA.	MISSED APPROACH: Climb to 2000 direct NEYIB and hold.
--	---

AWOS-3 118.675	HOUSTON CENTER 134.6 322.5	UNICOM 122.8 (CTAF) 0
--------------------------	--------------------------------------	---------------------------------



2000	NEYIB	*LNAV only.			
		GUVLY	JOSUK	4 NM Holding Pattern	
		2000	2000	127° →	← 2000
				← 307°	
					GP 3.00° TCH 43
		2.4 NM	3 NM	6 NM	
CATEGORY	A	B	C	D	
LPV DA	517-1	255 (300-1)		NA	
LNAV/VNAV DA	540-1	278 (300-1)		NA	
LNAV MDA	1060-1 798 (800-1)	1060-1¼ 798 (800-1¼)	1060-2½ 798 (800-2½)	NA	
CIRCLING	1060-1 787 (800-1)	1060-1¼ 787 (800-1¼)	1060-2½ 787 (800-2½)	NA	

VORTAC THX	APP CRS	Rwy Idg	4553
111.4	106°	TDZE	268
Chan 51		Apt Elev	273

VOR/DME RWY 12
BEEVILLE MUNI (BEA)


▼

▲ NA

Use Corpus Christi Intl altimeter setting.
Circling NA to Rwy 18 and 36.

MISSED APPROACH: Climbing right turn to 2000 via THX VORTAC
R-106 to AKVIL/THX VORTAC 15 DME and hold. Continue
climb-in-hold to 2000.

AWOS-3 118.675	HOUSTON CENTER 134.6 322.5	UNICOM 122.8 (CTAF) 0
-------------------	-------------------------------	--------------------------



Procedure Turn NA

YICKS THX (9)

AKVIL THX (15)

2000

106°

2000

2.90° TCH 40

6 NM

5.5 NM

2000

AKVIL THX (15)

THX R-106

THX [15]

RWY 12 THX (20.5)

VGSI and descent angles not coincident (VGSI Angle 3.00/TCH 20).

81

0.3% UP

2251 X 40

36

4553 X 75

0.5% UP

20

CATEGORY	A	B	C	D
S-12	1000-1 732 (800-1)	1000-1¼ 732 (800-1¼)	1000-2 732 (800-2)	NA
CIRCLING	1000-1 727 (800-1)	1020-1¼ 747 (800-1¼)	1120-2½ 847 (900-2½)	NA

MIRL Rwy 12-30 0