

TUCSON, ARIZONA

HI-ILS or LOC Z RWY 12

LOC I-AFB 109.3	APCH CRS 125°	Rwy Idg TDZE Appt Elev 13,645 2615 2704
---------------------------	-------------------------	---

AL-429 [USAF]

DAVIS-MONTHAN AFB (KDMA)





DME or RADAR required.

* Circling not authorized S of Rwy 12-30.

MISSED APPROACH: Climbing to 8000 intercept DMA
TACAN R-120 to ACINI. Expect RADAR vectors.

ATIS★ 270.1	TUCSON APP CON 066°-27.4° 119.4 318.1 275°-06.5° 125.1 269.55	TOWER 118.85 253.5	GND CON 121.8 275.8	CINC DEL 121.8 275.8
-----------------------	---	-------------------------------------	--------------------------------------	---------------------------------------

CAUTION: Para Jump operations
in the vicinity of Pinal Airport.



TUCSON, ARIZONA	32°10'N-110°53'W	DAVIS-MONTHAN AFB (KDMA)
Andrt 2 10AUG23		

HI-ILS or LOC Z RWY 12

TUCSON, ARIZONA

TUCSON, ARIZONA

AL-429 [USAF]

DAVIS-MONTHAN AFB (KDMA)

DME or RADAR required.

T * When ALS inop, increase RVR to 40, vis to 2 miles.
** When ALS inop, increase vis to 2 miles.


ACH: Climb to 8000, intercept DMA
to SHORR and hold, continue climb-
00.

ATIS ★	TUCSON APP CON
--------	----------------

270.1	066°-2/4°	119.4	318.1
	275°-065°	125.1	269.55

18.85 253.5

275.8	121.8 275.8
-------	-------------




EMERG SAFE ALT 100 NM 17,000

8000 DMA R-310 ↑	SHORR DMA 21
---------------------------	--------------------

AMDURY
DMA 723

WORMO
DMA



CATEGORY	C	D	E
----------	---	---	---

3050

S-ILS 30 *	2904/24	200	(200-1/2)
------------	---------	-----	-----------

EL Rwy 12
RL Rwy 12-30

S-LOC 30**	3400-1½	696	(700-1½)
------------	---------	-----	----------

FAF to MAP 5 NM

*** CIRCLING		
3400-2 696 (700-2)	3420-2¼ 716 (800-2¼)	3460-2¾ 756 (800-2¾)

Knots	120	140	160	180	200
in:Sec	2:30	2:09	1:53	1:40	1:30

TUCSON, ARIZONA

32°10'N-110°53'W

DAVIS-MONTHAN AFB (KDMA)

Amdt 9 10AUG23

HI-ILS or LOC Z RMY 30

TUCSON, ARIZONA

HI-TACAN Z RWY 12


AL-429 [USAF]

DAVIS-MONTHAN AFB (KDMA)

TACAN DMA	APCH CRS	Rwy Idg	13.645
Chon 123	130°	TDZE	2615
		Appt Elev	2704

MISSED APPROACH: Climbing to 8000 intercept DMA TACAN R-120 to ACINI. Expect RADAR vectors.

ATIS *	TUCSON APP CON	TOWER	GND CON	CINC DEL
270.1	125.1 269.55(090° - 285°) 119.4 318.1 (286° - 089°)	118.85 253.5	121.8 275.8	121.8 275.8



TUCSON, ARIZONA
Amdt 9 10AUG23

32°10'N-110°53'W

DAVIS-MONTHAN AFB (KDMA)

HI-TACAN Z RWY 12

TUCSON, ARIZONA

HI-TACAN Z RWY 30

TACAN DMA	ARCH CRS	Rwy Idg	13.645
Chon 123	299°	TDZE	2704
		Appt Elev	2704

AL-429 [USAF]

DAVIS-MONTHAN AFB (KDMA)

ATIS ★ 066°-274° 119.4 318.1
270.1 275°-065° 125.1 269.55


TOWER

MISSED APPROACH: Climb to 8000, intercept DMA TACAN R-310 to SHORR and hold, continue climb-in-holding to 8000.

TUCSON APP CON
270.1 066°-274° 119.4 318.1
275°-065° 125.1 269.55

TOWER

GND CON 121.8 275.8
CLNC DEL 121.8 275.8



8000	SHORR DMA R-310	21	EMERG SAFE ALT 100 NM 17,000	ELEV 2704	TDZE 2704	
TACAN	ZUST DMA 12	28	HUNIN DMA 6	WENVI DMA 16	WUDAR DMA 23	ARGHH DMA 23
5-30*	3420-1%	716	(800-1%)			
CIRCLING**	3420-2	3420-2 1/4	3460-2 3/4			
	716 (800-2)	716 (800-2 1/4)	756 (800-2 3/4)			
TUCSON, ARIZONA	32°10'N-110°53'W					
DAVIS-MONTHAN AFB (KDMA)						

Amch 8 10AUG23

HI-TACAN Z RWY 30

TUCSON, ARIZONA


ILS or LOC Y RWY 12

LOC I-AFB	APCH CRS	Rwy Idg
<u>109.3</u>	<u>125°</u>	<u>2615</u>
DME or RADAR required.		Appt Elev <u>2704</u>

AL-429 [USAF]

DAVIS-MONTAN AFB (KDMA)

* Circling not authorized S of Rwy 12-30.		MISSED APPROACH: Climbing to 8000 intercept DMA TACAN R-120 to ACINI. Expect RADAR vectors.	
ATIS★	TUCSON APP CON	TOWER	CINC DEL
<u>270.1</u>	066°-274° <u>119.4 318.1</u> 275°-065° <u>125.1 269.55</u>	<u>118.85 253.5</u>	<u>121.8 275.8</u>



CATEGORY	A	B	C	D	E
S-ILS 12	2815/40 200 (200-%)				
S-LOC 12	3160/55 545 (500-1%)	3160-1% 545 (500-1%)	3420-2¼ 3460-2¾		
CIRCLING *	3200-1 496 (500-1)	3280-1¾ 576 (600-1¾)	3420-2¼ 716 (800-2¼)	3460-2¾ 756 (800-2¾)	

TUCSON, ARIZONA	32°10'N-110°53'W
DAVIS-MONTAN AFB (KDMA)	

Amcd 2 10AUG23

ILS or LOC Y RWY 12

LOC I-DMA 109.3	APCH CRS 305°	Rwy Idg TDZE Asth Fl	13,645 2704 5704
---------------------------	-------------------------	----------------------------	---

AL-429 [USAF]

DAVIS-MONTHAN AFB (KDMA)

DME or RADAR required.	AIS-F-1
* When AIS inop, increase RVR to 40, vis to $\frac{1}{2}$ mile.	MISSED APPROACH: Climb to 8000, intercept DMA TACAN R-310 to SHORR and hold, continue climb-in-holding to 8000.

T * When ALS inop, increase RVR to 40, vis to $\frac{3}{4}$ mile DME or KADAK required.

ALSF-1
A1
MIS
R-3

ED APPROACH: Climb to 8000, intercept DMA TACAN
to SHORR and hold, continue climb-in-holding to 8000.

ATIS ★	TUCSON APP CON
--------	----------------

TOWER

GND CON	CINC DEI
---------	----------

270.1	066°-2/4°	119.4	318.1
	075° 04' E	105.4	060.5

18.85 21

121.8	275.8	121.8	275.8
-------	-------	-------	-------


**** When ALS inop, increase**

1 mile; CAT CDE vis to 2 miles.

86

*** Circling not authorized ***

8790



SW-4, 22 FEB 2024 to 21 MAR 2024

SW-4, 22 FEB 2024 to 21 MAR 2024

[illegible]

TUCSON, ARIZONA

32°10'N-110°53'W

DAVIS-MONTHAN AFB (KDMA)

Amdt 9 10AUG23

ILS or LOC Y Rwy 30

TUCSON, ARIZONA

RNAV (GPS) RWY 12


WAAS CH 44576 W12A	APCH CRS 125°	Rwy ldg TDZE Arpt Elev	13,645 2615 2704
--	-------------------------	------------------------------	---

AL-429 (USAF)

DAVIS MONTHAN AFB (KDMA)

RNP APCH	MISSED APPROACH: Climb to 10,000 direct BUZZR, track 118° to ACINI and hold, continue climb-in-hold to 10,000.
RADAR required	
* Circling NA SW of Rwy 12-30.	

ATIS ★ 270.1	TUCSON APP CON/DEP CON 119.4 269.55	TOWER 118.85 253.5	GND CON 121.8 275.8	CLNC DEL 121.8 275.8
------------------------	---	------------------------------	-------------------------------	--------------------------------



BINTT		VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 58).		10,000	BUZZR	tr 118°	ACINI	ELEV 2704	TDZE 2615		
5000		125°		GADGT		1.2 NM to RWY 12		RWY 12			
GP 3.00°		4000		4.3 NM							
TCH 48											
CATEGORY	A	B	C	D	E						
LPV DA	2815/40		200		(200-¾)						
LNAV/VNAV DA	2892/45 277 (200-¾)	2903/45 288 (200-¾)	2911/45 296 (300-¾)	2922/45 307 (300-¾)							
LNAV MDA	3020/55 405 (400-1)		3020/60 405 (400-1¼)								
CIRCLING*	3200-1 496 (500-1)		3280-1½ 576 (600-1½)	3420-2¼ 716 (800-2¼)	3460-2¾ 756 (800-2¾)						

REIL Rwy 12
HIRL all Rwys

TUCSON, ARIZONA

32°10'N - 110°53'W

DAVIS MONTHAN AFB (KDMA)

Amdt 1 10AUG23

RNAV (GPS) RWY 12

SW-4, 22 FEB 2024 to 21 MAR 2024

SW-4, 22 FEB 2024 to 21 MAR 2024

TUCSON, ARIZONA

WAAS CH 91450 W30A	APCH CRS 305°	Rwy ldg TDZE Arprt Elev	13,645 2704 2704
--------------------------	------------------	-------------------------------	------------------------

AL-429 (USAF)

DAVIS MONTHAN AFB (KDMA)

RNP APCH


▲ * When ALS inop, increase vis to 1 3/8 miles.
** When ALS inop, increase RVR to 45, vis to 7/8 miles.

ALSF-1



MISSED APPROACH: Climb to 8000 direct JAMMR and hold, continue climb-in-hold to 8000.

ATIS★ 270.1	TUCSON APP CON/DEP CON 119.4 269.55	TOWER 118.85 253.5	GND CON 121.8 275.8	CLNC DEL 121.8 275.8
----------------	--	-----------------------	------------------------	-------------------------



8000	JAMMR	NOIZE	ELEV 2704	TDZE 2704	
CATEGORY	A	B	C	D	E
LPV DA*	3168/50		464	(500-1)	
LNAV/VNAV DA**	2966/24 262 (300-½)	2977/24 273 (300-½)	2985/24 281 (300-½)	2996/24	292 (300-½)
LNAV MDA***	3480/24 776 (800-½)	3480/40 776 (800-¾)	3480-1¼ 776 (800-1¼)		
◼ CIRCLING****	3480-1 776 (800-1)	3480-1¼ 776 (800-1¼)	3480-2½ 776 (800-2½)		3480-2¾ 776 (800-2¾)

TUCSON, ARIZONA

32°10'N - 110°53'W

DAVIS MONTHAN AFB (KDMA)

Amdt 1 10AUG23

RNAV (GPS) RWY 30

SW-4, 22 FEB 2024 to 21 MAR 2024

SW-4, 22 FEB 2024 to 21 MAR 2024


TACAN DMA Chan 123	APCH CRS 130°	Rwy Idg 13,645 TDZE 2615 Airt Elev 2704
------------------------------	-------------------------	---

DAVIS-MONTHAN AFB (KDMA)

T *Circling not authorized S of Rwy 12-33

MISSED APPROACH: Climbing to 8000 intercept DMA TACAN R-120 to ACINI. Expect RADAR vectors.

ATIS ★ 270.1	TUCSON APP CON 090°-285° 125.1 269.55 286°-089° 119.4 318.1
-----------------	---



EMERG SAFE ALT 100 NM 17,000

SHORR DMA [21] 8000 DMA R-120 ACINI DMA [25] ELEV 2704 TDZE 2615				
CATEGORY	SHORR DMA [21] 8000 DMA R-120 ACINI DMA [25] ELEV 2704 TDZE 2615			
	SHORR DMA [21] 8000 DMA R-120 ACINI DMA [25] ELEV 2704 TDZE 2615			
S-12	A	B	C	E
CIRCLING*	3160/55 545 (500-1)		3160-1½ 545 (500-1½)	
	3200-1 496 (500-1)		3280-1½ 576 (600-1½)	3420-2¼ 716 (800-2¼)
			3460-2¾ 756 (800-2¾)	
				REL Rwy 12

32°10'N-110°53'W

DAVIS-MONTHAN AFB (KDMA)

Amdt 9 10AUG23

TACAN Y RWY 12

TUCSON, ARIZONA

TACAN DMA Chan 123	
T * When ALS vis to 1 mil ** Circling no	
ATIS★ 270.1	066 275



DAVIS-MONTHAN AFB (KDMA)

TACANLY DAVY 20

TACAN Y RWY 30