




WAAS CH 90428 W15A	APP CRS 152°	Rwy Idg TDZE 1204 Apt Elev 1229
--	------------------------	---

RNAV (GPS) RWY 15

FOREST CITY MUNI (FXY)

RNP APCH. ▼ ▲ Circling to Rwy 9, 27 and 33 NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -29°C or above 54°C. When local altimeter setting not received, use Mason City altimeter setting and increase LPV DA to 1488 feet; LNAV/VNAV DA to 1516 feet; increase all MDA 40 feet. VDP and Baro-VNAV NA when using Mason City altimeter setting.		MISSED APPROACH: Climb to 3000 direct to SCHUM and hold.
AWOS-3 123.925	MINNEAPOLIS CENTER 127.3 257.675	UNICOM 122.8 (CTAF) 0




RNAV (GPS) RWY 33

FOREST CITY MUNI (FXY)


▼ Rwy 33 helicopter visibility reduction below 1 SM NA. Baro-VNAV NA
▲ when using Mason City altimeter setting. For uncompensated Baro-VNAV
 systems, LNAV/VNAV NA below -17°C or above 54°C. When local
 altimeter setting not received, use Mason City altimeter setting and increase
 LPV DA to 1487 feet; LNAV/VNAV DA to 1569 feet; increase all MDA 40
 feet. Straight-in Rwy 33 NA at night. Circling Rwy 9, 27, 33 NA at night.

MISSED APPROACH: Climb to 3000
direct YEZCO and left turn on track
242° to JEGU and left turn on track
139° to OGITY and hold.

AWOS-3 123.925	MINNEAPOLIS CENTER 127.3 257.675	UNICOM 122.8 (CTAF) 0
--------------------------	--	---------------------------------



CATEGORY	A	B	C	D
LPV DA	1453-1 250 (300-1)			
LNAV/VNAV DA	1535-1¼ 332 (400-1¼)			
LNAV MDA	1520-1 317 (300-1)			
CIRCLING	1680-1 451 (500-1)	1760-1 531 (600-1)	2040-2½ 811 (900-2½)	2040-2¾ 811 (900-2¾)



NC-3, 22 FEB 2024 to 21 MAR 2024

VOR/DME MCW
114.9
Chan **96**

APP CRS
297°

Rwy Idg
TDZE
Apt Elev **1229**

N/A
N/A
1229

VOR-A
FOREST CITY MUNI (FXY)

DME required.



▼

⚠

When local altimeter setting not received use Mason City
altimeter setting and increase all MDA 40 feet.
Circling to Rwy 9, 27 33 NA at night.

MISSED APPROACH: Climb to 3000 on heading 260°
to MCW 20 DME Arc and on MCW 20 DME Arc
counterclockwise to HAYOR/20 DME and hold.

AWOS-3 123.925	MINNEAPOLIS CENTER 127.3 257.675	UNICOM 122.8 (CTAF) 1
--------------------------	--	---------------------------------



3000	MCW 20 Arc counter-clockwise	HAYOR	FERTI MCW 12	PEVME MCW 7	MCW VOR/DME
CATEGORY	A	B	C	D	
CIRCLING	1680-1 451 (500-1)	1760-1 531 (600-1)	NA		