

WAAS CH 86312 W03A	APP CRS 033°	Rwy Idg TDZE Apt Elev	6827 3412 3449
--	------------------------	-----------------------------	---



RNAV (GPS) RWY 3
KINGMAN (IGM)

⚠ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -21°C (-5°F) or above 42°C (107°F). DME/DME RNP-0.3 NA.


⚠ Circling NA for Cat D southeast of Rwy 3-21. Circling Rwy 35 NA at night.

MISSED APPROACH: Climb to 9000 direct MANNZ and via track 338° to PRFUM and hold, continue climb-in-hold to 9000.

ASOS 119.275	LOS ANGELES CENTER 124.85 319.2	UNICOM 122.8 (CTAF) 0
------------------------	---	---------------------------------



CATEGORY	A	B	C	D
LPV DA		3713-1	301 (400-1)	
LNAV/VNAV DA		3952-2	540 (600-2)	
LNAV MDA	3840-1	428 (500-1)	3840-1½ 428 (500-1½)	3840-1½ 428 (500-1½)
CIRCLING	3980-1 531 (600-1)	4100-1 651 (700-1)	4420-3	971 (1000-3)



SW-4, 22 FEB 2024 to 21 MAR 2024

SW-4, 22 FEB 2024 to 21 MAR 2024

APP CRS	Rwy Idg	6827
198°	TDZE	3403
	Apt Elev	3449


RNAV (GPS) Y RWY 21
KINGMAN (IGM)

T
A DME/DME RNP-0.3 NA. Circling NA for Cat D
southeast of Rwy 3-21. Circling Rwy 35 NA at night.


MISSED APPROACH: Climbing right turn to 9000 direct PRFUM and hold, continue climb-in-hold to 9000.

ASOS
119,275

LOS ANGELES CENTER
124.85 319.2

UNICOM
122.8 (CTAF) **L**

ELEV 3449	D	TDZE 3403
-----------	----------	-----------



REIL Rwy 3 and 21 L

MIRL Rwyys 3-21 and 17-35 L

KINGMAN, ARIZONA

Orig-C 20MAY21

35°16'N-113°56'W

KINGMAN (IGM)

RNAV (GPS) Y RWY 21

SW-4, 22 FEB 2024 to 21 MAR 2024

KINGMAN, ARIZONA

AL-215 (FAA)


23222

WAAS CH 70612 W21A	APP CRS 213°	Rwy Idg 6827 TDZE 3403 Apt Elev 3449
--	------------------------	---


RNAV (GPS) Z RWY 21
KINGMAN (IGM)

 NA	DME/DME RNP-0.3 NA.	MISSED APPROACH: Climb to 9000 direct IRDUQ and via track 303° to TOPRY and via track 029° to PRFUM and hold.
--	---------------------	---


ASOS 119.275	LOS ANGELES CENTER 124.85 319.2	UNICOM 122.8 (CTAF) 0
------------------------	---	---------------------------------



9000 ↑	IRDUG 	tr 303°	TOPRY 	tr 029°	PRFUM △	Procedure Turn NA
-----------	--	------------	--	------------	------------	-------------------------



CATEGORY	A	B	C	D
LPV DA	3653-1 250 (300-1)			



REIL Rwys 3 and 21 **L**
MIRL Rwys 3-21 and 17-35 **L**

KINGMAN, ARIZONA
Orig-C 31MAR16

35°16'N-113°56'W

KINGMAN (IGM)

RNAV (GPS) Z RWY 21

SW-4, 22 FEB 2024 to 21 MAR 2024

VOR/DME IGM 108.8 Chan 25	APP CRS 190°	Rwy Idg 6827 TDZE 3403 Apt Elev 3449
---	------------------------	---

VOR/DME RWY 21
KINGMAN (IGM)

	Circling Rwy 35 NA at night.	MISSED APPROACH: Climbing right turn to 6000 via IGM VOR/DME R-208 then climbing right turn to 9000 direct IGM VOR/DME and hold.
---	------------------------------	--

ASOS 119.275	LOS ANGELES CENTER 124.85 319.2	UNICOM 122.8 (CTAF) 0
------------------------	---	---------------------------------





Figure 1 is a sample chart showing a portion of a coastal chart. The chart includes various navigational data and a plotted track. Key elements include:

- Top Left:** Two boxes labeled "6000" and "9000" with curved arrows and "IGM R-208". A third box labeled "IGM" contains a square symbol.
- Top Center:** "AHGAW IGM [8]" and "TRUXE INT IGM [12.2]".
- Top Right:** "EDWRD INT IGM [16.7]" and "Remain within 10 NM".
- Left Side:** "CETNU IGM [0.3]" and "ALRAY IGM [3.7]".
- Center:** A track line with a cross symbol. Data points along the track include "4540", "5900", "7000", and "8300". A bearing of "190°" is indicated.
- Bottom:** Horizontal distance markers: "3.4 NM", "4.3 NM", "4.2 NM", and "4.5 NM".
- Right Side:** A bearing of "010°" and a distance of "8300".

CATEGORY	A	B	C	D
S-21	3880-1	477 (500-1)	3880-1¼ 477 (500-1¼)	3880-1½ 477 (500-1½)
CIRCLING	3980-1 531 (600-1)	4100-1 651 (700-1)	4420-3 971 (1000-3)	5340-3 1891 (2000-3)



SV-4, 22 FEB 2024 to 21 MAR 2024

SW-4, 22 FEB 2024 to 21 MAR 2024