WAAS	APP CRS	Rwy Idg	3098
CH 86637	269°	TDZE	465
W27A		Apt Elev	465

RNAV (GPS) RWY 27

BRANDYWINE RGNL (OQN)

RNP APCH - GPS.

Rwy 27 helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Coatesville altimeter setting and increase all MDAs 60 feet.

MISSED APPROACH: Climb to 1500 then climbing right turn to 2900 direct GONVE and hold.

AWOS-3T	PHILADELPHIA APP CON	CLNC DEL	UNICOM
121.4	124.35 319.15	125.6	123.075 (CTAF)







CATEGORY	A	B	C	D
LP MDA	820-1	355 (400-1)	NA	
LNAV MDA	860-1	395 (400-1)	NA	
C CIRCLING	1080-1	615 (700-1)	NA	

LIRL Rwy 9-27

NE-4, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) Y RWY 9

BRANDYWINE RGNL (OQN)

APP CRS	Rwy Idg	3222
088°	TDZE	465
	Apt Elev	465

RNP APCH - GPS.

Rwy 9 helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Coatesville altimeter setting and increase all MDAs 60 feet.

MISSED APPROACH: Climb to 1000 then climbing right turn to 2900 direct CEFSY and hold.

AWOS-3T	PHILADELPHIA APP CON	CLNC DEL	UNICOM
121.4	124.35 319.15	125.6	123.075 (CTAF)



ELEV 465 TDZE 465





CATEGORY	A	B	C	D
LNAV MDA	880-1	415 (500-1)	NA	
C CIRCLING	1020-1	555 (600-1)	NA	

LIRL Rwy 9-27

NE-4, 22 FEB 2024 to 21 MAR 2024

RNAV (GPS) Z RWY 9

BRANDYWINE RGNL (OQN)

APP CRS	Rwy Idg	3222
088°	TDZE	465
	Apt Elev	465

RNP APCH - GPS.

Rwy 9 helicopter visibility reduction below ¾ SM NA. When local altimeter setting not received, use Coatesville altimeter setting and increase all MDAs 60 feet.

MISSED APPROACH: Climb to 2900 direct CELPA and left turn on track 041° to DASDE and hold.

AWOS-3T	PHILADELPHIA APP CON	CLNC DEL	UNICOM
121.4	124.35 319.15	125.6	123.075 (CTAF)





CATEGORY	A	B	C	D
LNAV MDA	880-1	415 (500-1)	NA	
C CIRCLING	1020-1	555 (600-1)	NA	



NE-4, 22 FEB 2024 to 21 MAR 2024

VORTAC MXE	APP CRS	Rwy Idg	N/A
113.2	052°	TDZE	N/A
Chan 79		Apt Elev	465

VOR-A

BRANDYWINE RGNL (OQN)

When local altimeter setting not received, use Coatesville altimeter setting and increase all MDAs 60 feet.

MISSED APPROACH: Climbing left turn to 2000 direct MXE VORTAC and hold.

AWOS-3T	PHILADELPHIA APP CON	CLNC DEL	UNICOM
121.4	124.35 319.15	125.6	123.075 (CTAF)



CATEGORY	A	B	C	D
C CIRCLING	1080-1	615 (700-1)	NA	

FAF to MAP 5.7 NM

Knots	60	90	120	150	180
Min:Sec	5:42	3:48	2:51	2:17	1:54

NE-4, 22 FEB 2024 to 21 MAR 2024
NE-4, 22 FEB 2024 to 21 MAR 2024