

23222

CAIRNS AAF (KOZR)

CLIOS-TWO DEPARTURE (CLIOS2•CLIOS)

AL-577 [USA]

FORT NOVOSEL, ALABAMA

ATIS 111.2 316.15

CLINC DEL

118.075 380.1

GND CON

121.9 288.25

121.7 200.20
TOWER ★

135.2 (CTAF) 248.55

100-2101
DEP CON


121 1 319 25

121.1 319.23
JACKSONVILLE

JACKSONVILLE CENTER
1202 3464

120.2 346.4

RADAR required



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 6 or RWY 18: Climbing left turn heading 330°

TAKEOFF RWY 24: Climbing right turn heading 050°

TAKEOFF RWY 36: Climb on heading 350° ...

TAKEOFF FROM CENTER OF HELIPAD D1: Climb on heading 350°

TAKEOFF FROM CENTER OF HELIPAD D2: Climb on heading 350° ...
 Maintain 2000', expect clearance to requested altitude/flight level ten (10) minutes after

departure.

...intercept OZR VOR/DME R-009 to CLIOS INT.

CLIOS-TWO DEPARTURE (CLIOS2•CLIOS)

Amdt 1 10AUG23

**FORT NOVOSEL, ALABAMA
CAIRNS AAF (KOZR)**

SE-4, 22 FEB 2024 to 21 MAR 2024


SE-4, 22 FEB 2024 to 21 MAR 2024

HOUND-TWO DEPARTURE (HOUND2•HOUND)

FORT NOVOSEL, ALABAMA

ATIS 111.2 316.15
CINC DEL 118.075 380.1
GND CON 121.9 288.25
TOWER★ 135.2 (CTAF) 248.55
DEP CON 133.75 270.35
JACKSONVILLE CENTER 120.2 346.4

AL-577 [USA]
•
610



▼ DEPARTURE ROUTE DESCRIPTION

TAKEOFF RMY 6, 18 or 36: Climbing right turn heading 205° ...
TAKEOFF RMY 24: Climbing left turn heading 120° ...
TAKEOFF PAD C OR G: Climb heading 178° to 1000, then right turn heading 205° ...
Maintain 2000, expect clearance to requested altitude/flight level ten (10) minutes after departure.
... intercept OZR VOR/DME R-183 to HOUND INT.

OPPTO-TWO DEPARTURE (OPPTO2•OPPTO)


FORT NOVOSHEL, ALABAMA

ATIS 111.2 316.15
CLNC DEL 118.075 380.1
GND CON 121.9 288.25
TOWER★ 135.2 (CTAF) 248.55
DEP CON 133.45 239.275
JACKSONVILLE CENTER 120.2 346.4

[USA]

610

RADAR required



DEPARTURE ROUTE DESCRIPTION

- TAKEOFF Rwy 6: Climbing left turn heading 270°
- TAKEOFF Rwy 18: Climbing right turn heading 205°
- TAKEOFF Rwy 24: Climbing right turn heading 300°
- TAKEOFF Rwy 36: Climbing left turn heading 270°
- TAKEOFF FROM CENTER OF HELIPAD A: Climb heading 310°
- TAKEOFF FROM CENTER OF HELIPAD D2: Climb heading 360°

Maintain 2000, expect clearance to requested altitude/flight level ten (10) minutes after departure.


Expect RADAR vector to intercept OZR VOR/DME R-273 to OPPTO INT. Thence via Transition. CRESTVIEW TRANSITION: (OPPTO2 • CEW) Turn left via CEW R-041 to CEW VORTAC.

POPER-ONE DEPARTURE (POPER1•POPER)

FORT NOVOSHEL, ALABAMA

ATIS 111.2 316.15
CLNC DEL
118.075 380.1
GND CON
121.9 288.25
TOWER ★
135.2 (CTAF) 248.55
DEP CON
133.75 270.35
JACKSONVILLE CENTER
120.2 346.4

AL-577 [USA]
•
610



DEPARTURE ROUTE DESCRIPTION

TAKEOFF Rwy 6, 18 or 36: Climbing right turn heading 205 °
TAKEOFF Rwy 24: Climbing left turn heading 120 °
TAKEOFF PAD C OR G: Climb heading 178 ° to 1000, then right turn heading 205 °
.... to intercept OZR VOR/DME R-183 to HOUND INT, and via MAI VORTAC R-300 to POPER INT. Thence via assigned Transition. Maintain 2000, expect clearance to requested altitude/flight level ten (10) minutes after departure.

CHEWS TRANSITION: (POPER 1•CHEWS) Proceed via RRS VORTAC R-189 to CHEWS INT.
MARIANNA TRANSITION: (POPER 1•MAI) Proceed via MAI R-300 to MAI VORTAC.

POPER-ONE DEPARTURE (POPER1•POPER)

FORT NOVOSHEL, ALABAMA
CAIRNS AAF (KOZR)

SKIPO-TWO DEPARTURE (SKIPO2•SKIPO)

FORT NOVOSHEL, ALABAMA

ATIS 111.2 316.15

CINC DEL

GND CON 118.075 380.1

121.9 288.25


TOWER ★ 135.2 (CTAF) 248.55

DEP CON 125.4 327.125

JACKSONVILLE CENTER 120.2 346.4

[USA]

RADAR required



DEPARTURE ROUTE DESCRIPTION

▼

TAKEOFF Rwy 6 or Rwy 18: Climbing left turn heading 360°

TAKEOFF Rwy 24: Climbing right turn heading 050°

TAKEOFF Rwy 36: Climb heading 360°

TAKEOFF FROM CENTER OF HELIPAD PAD D1: Climb heading 015°

TAKEOFF FROM CENTER OF HELIPAD PAD D2: Climb heading 360°

Maintain 2000, expect clearance to requested altitude/flight level ten (10) minutes after departure.

.... Intercept OZR VOR/DME R-026 to SKIPO INT.