FORT LIBERTY, NORTH CAROLINA

# ILS or LOC RWY 23

| LOC I-POB | APCH CRS | Rwy ldg / TDZE / Arpt Elev | AL-147 [USAF] | POPE AAF (KPOB) |
|---|---|---|---|---|
| 110.9 | 228° | 7501 / 200 / 218 | | |


RADAR required

* When ALS inop, increase RVR to 40 and vis to ¾ mile.
** When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile; CAT CD RVR to 60, vis to 1⅛ miles.
*** Circling not authorized SE of Rwy 5-23.
**** When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile; CAT CD vis to 1¼ miles.


ALSF-1

MISSED APPROACH: Climbing right turn to 2000 direct AWGUS and hold.
For acft not equipped with TACAN or suitable RNAV system with GPS: Climbing right turn to 2000 hdg 350°, expect RADAR vectors.

| ATIS | FAYETTEVILLE APP CON | TOWER | GND CON | CLNC DEL |
|---|---|---|---|---|
| 132.3 353.725 | 125.175 285.575 (271°-090°)<br>133.0 290.25 (091°-270°) | 135.025 291.1 | 124.55 275.8 | 124.55 275.8 |





EMERG SAFE ALT 100 NM 5300 FROM "POB" TACAN




| CATEGORY | A | B | C | D |
|---|---|---|---|---|
| S-ILS 23* | 400/24 200 (200-½) | | | |
| S-LOC 23** | 620/24 420 (500-½) | | 620/40 420 (500-¾) | |
| C CIRCLING *** | 760-1 542 (600-1) | | 920-2 702 (800-2) | 1060-2¾ 842 (900-2¾) |
| WITHOUT LAST STEPDOWN FIX | | | | |
| S-LOC 23 **** | 640/24 440 (500-½) | | 640/45 440 (500-⅞) | |

ELEV 218 | TDZE 200

Rwy 5 ldg 7501'
Rwy 23 ldg 7501'




HIRL Rwy 5-23
LIRL Rwy 050°-230°
REIL Rwy 5

FAF to MAP 3.2 NM

| Knots | 60 | 90 | 120 | 150 | 180 |
|---|---|---|---|---|---|
| Min:Sec | 3:12 | 2:08 | 1:36 | 1:17 | 1:04 |



SE-2, 22 FEB 2024 to 21 MAR 2024
SE-2, 22 FEB 2024 to 21 MAR 2024

FORT LIBERTY, NORTH CAROLINA

# RNAV (GPS) RWY 23

| WAAS | APCH CRS | Rwy Idg | 7501 |
|---|---|---|---|
| Chan 52202 | 228° | TDZE | 200 |
| W23A | | Arpt Elev | 218 |

AL-147 [USAF]

POPE AAF (KPOB)


RADAR required.

* When ALS inop, increase RVR to 40 vis to ¾ mile.
** When ALS inop, increase vis to 1¼ mile.
*** When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile; CAT CD vis to 1⅜ miles.
**** Circling not authorized SE of Rwy 5-23.


ALSF-1

MISSED APPROACH: Climbing right turn to 2000 direct AWGUS and hold.

| ATIS | FAYETTEVILLE APP CON | TOWER | GND CON | CLNC DEL |
|---|---|---|---|---|
| 132.3 353.725 | 125.175 285.575 (271°- 090°)<br>133.0 290.25 (091°- 270°) | 135.025 291.1 | 124.55 275.8 | 124.55 275.8 |





EMERG SAFE ALT 100 NM 5300




| ELEV 218 | TDZE 200 |
|---|---|

Rwy 05 ldg 7501'
Rwy 23 ldg 7501'




| CATEGORY | A | B | C | D |
|---|---|---|---|---|
| LPV * | 400/24 | 200 (200-½) | | |
| LNAV/ ** VNAV DA | 572/40 | 372 (400-¾) | | |
| LNAV MDA *** | 680/24 480 (500-½) | | 680/50 480 (500-1) | |
| C CIRCLING **** | 760-1 542 (600-1) | | 920-2 702 (800-2) | 1060-2¾ 842 (900-2¾) |

HIRL Rwy 5-23
LIRL Rwy 050°-230°
REIL Rwy 5



SE-2, 22 FEB 2024 to 21 MAR 2024
SE-2, 22 FEB 2024 to 21 MAR 2024

FORT LIBERTY, NORTH CAROLINA

# TACAN RWY 23

| TACAN POB Chan 85 | APCH CRS 232° | Rwy ldg 7501 TDZE 200 Arpt Elev 218 | AL-147 [USAF] | POPE AAF (KPOB) |
|---|---|---|---|---|

RADAR required


▼ * When ALS inop, increase CAT AB RVR to 55 and vis to 1 mile; CAT CD vis to 1⅜ miles.

** Circling not authorized SE of Rwy 5-23.


ALSF-1

MISSED APPROACH: Climbing right turn to 2000 direct AWGUS and hold.

| ATIS | FAYETTEVILLE APP CON | TOWER | GND CON | CLNC DEL |
|---|---|---|---|---|
| 132.3 353.725 | 125.175 285.575 (271°- 090°) 133.0 290.25 (091°- 270°) | 135.025 291.1 | 124.55 275.8 | 124.55 275.8 |





EMERG SAFE ALT 100 NM 5300




| CATEGORY | A | B | C | D |
|---|---|---|---|---|
| S-23 * | 700/24 500 (500-½) | | 700/50 500 (500-1) | |
| C ** CIRCLING | 760-1 542 (600-1) | | 920-2 702 (800-2) | 1060-2¾ 842 (900-2¾) |

ELEV 218 TDZE 200

Rwy 05 ldg 7501'
Rwy 23 ldg 7501'




HIRL Rwy 5-23
LIRL Rwy 050°-230°
REIL Rwy 5



SE-2, 22 FEB 2024 to 21 MAR 2024
SE-2, 22 FEB 2024 to 21 MAR 2024

FORT LIBERTY, NORTH CAROLINA

# TACAN-A

| TACAN POB Chan 85 | APCH CRS 360° | Rwy Idg N/A<br>TDZE N/A<br>Arpt Elev 218 |
|---|---|---|

AL-147 [USAF]


POPE AAF (KPOB)


RADAR required


▼ * Circling not authorized SE of Rwy 5-23.

MISSED APPROACH: Climbing left turn to 2000 via POB R-330 to AWGUS and hold.

| ATIS | FAYETTEVILLE APP CON | TOWER | GND CON | CLNC DEL |
|---|---|---|---|---|
| 132.3 353.725 | 125.175 285.575 (271°- 090°)<br>133.0 290.25 (091°- 270°) | 135.025 291.1 | 124.55 275.8 | 124.55 275.8 |




| CATEGORY | A | B | C | D |
|---|---|---|---|---|
| CIRCLING * | 840-1 622 (700-1) | | 920-2 702 (800-2) | 1060-2¾ 842 (900-2¾) |

HIRL Rwy 5-23
LIRL Rwy 050°-230°
REIL Rwy 5

360°

FORT LIBERTY, NORTH CAROLINA 35°10'N-79°01'W POPE AAF (KPOB)

Amdt 4 24MAY18

TACAN-A

SE-2, 22 FEB 2024 to 21 MAR 2024

SE-2, 22 FEB 2024 to 21 MAR 2024