

WAAS CH 56637 W25A	APP CRS 248°	Rwy Idg 3900 TDZE 966 Apt Elev 966
--	------------------------	---

RNAV (GPS) RWY 25


BLOYER FLD (Y72)

T DME/DME RNP-0.3 NA. Use Camp Douglas altimeter setting; when not received, use Sparta/
A NA Fort McCoy altimeter setting and increase all MDA 20 feet. Helicopter visibility reduction below
1 SM NA. Procedure NA at night.


MISSED APPROACH:
Climb to 3000 direct
FOSAT and hold.

VOLK APP CON ★
135.25 244.875

VOLK CTAF
127.5

CTAF
122.9 **L**

ELEV	966		TDZE	966
------	-----	--	------	-----



WAAS CH 97737 W07A	APP CRS 068°	Rwy Idg TDZE 966 Apt Elev 966	3900
--	------------------------	---	-------------

RNAV (GPS) RWY 7



BOLOYER FLD (Y72)

NA

DME/DME RNP-0.3 NA. Use Camp Douglas altimeter setting; when not received, use Sparta/Fort McCoy altimeter setting and increase all MDA 20 feet, increase LNAV Cat C visibility ½ mile. Helicopter visibility reduction below 1 SM NA. Procedure NA at night.

MISSED APPROACH:
Climb to 3000 direct
GLAKE and hold.

VOLK APP CON ★ 135.25 244.875	VOLK CTAF 127.5	CTAF 122.9 0
---	---------------------------	------------------------



ELEV 966

TDZE 966

MRL Rwy 7-25 0
REIL Rwy 7 and 25 0

CATEGORY	A	B	C	D
LP MDA	1460-1	494 (500-1)	1460-1⅓ 494 (500-1⅓)	NA
LNAV MDA	1500-1	534 (600-1)	1500-1½ 534 (600-1½)	NA
CIRCLING	1540-1 574 (600-1)	1560-1 594 (600-1)	1660-2 694 (700-2)	NA